




### Horseshoe Shim

- ▲ High impact reusable plastic shim
- ▲ For both horizontal and vertical tile installation
- ▲ Easy to install & Easy to remove
- ▲ For aligning marble, granite, porcelain and large format tile

Art.No	Size	Qty
HSB400	1.5mm 1/16"	400pcs
HSP350	2mm 5/64"	350pcs
HSR300	3mm 1/8"	300pcs
HSY220	5mm 3/16"	220pcs
HSB150	6mm 1/4"	150pcs



### Tile Spacers

- ▲ 250 pieces per reseal bag
- ▲ Ideal for wall and floor tiles

Art.No	Size	Qty
TSC1250	1mm 1/32"	250pcs
TS15250	1.5mm 1/16"	250pcs
TSC2250	2mm 5/64"	250pcs
TSC3250	3mm 1/8"	250pcs
TSC5250	5mm 3/16"	250pcs



### Tile Spacers

- ▲ 250 pieces per reseal bag
- ▲ Ideal for wall and floor tiles

Art.No	Size	Qty
TST2250	2mm 5/64"	250pcs
TST3250	3mm 1/8"	250pcs
TST4250	4mm 5/32"	250pcs
TST5250	5mm 3/16"	250pcs



### Multi Size Spacer

- ▲ 50pcs per reseal bag
- ▲ Reusable
- ▲ Ideal for wall and floor tiles

Art.No	Size	Qty
TSM50	4 in 1	50pcs



### Rotate Wedge

- ▲ 50pcs per reseal bag
- ▲ Reusable
- ▲ Ideal for wall and floor tiles

Art.No	Size	Qty
TSR50	1-13mm (1/32")-(1/2")	50pcs



### Tile Wedge

- ▲ 250pcs per reseal bag
- ▲ Ideal for wall and floor tiles

Art.No	Size	Qty
TSW250	0.5-5mm (1/64")-(3/16")	250pcs





## NOTCHED TROWEL



### Switchable Pro-Long Notched Trowel Set



- ▲ 2pcs x Switchable soft handle
- ▲ 6pcs x Stainless steel spare blades in 480x130mm
- ▲ Notched 6,8,10,12mm, Tiger notch and Diagonal notch
- ▲ Durable storage and drain box

Art.No	Size	Notch Guide
PTSJK9	480x130mm (19"x5-1/8")	6mm(1/4") SQ notch
		8mm(5/16") SQ notch
		10mm(3/8") SQ notch
		12mm(1/2") SQ notch
		Diagonal notch
		Tiger notch

### Switchable Jumbo Notched Trowel Set


- ▲ 2pcs x Switchable soft grip handle
- ▲ Switch between trowel blades to be used both right and left handed
- ▲ 6pcs x Stainless steel blades in 280x115mm
- ▲ Notched 6,8,10,12mm, Tiger notch and 10x20mm Round Notch
- ▲ 6pcs x Stainless steel blades in 480x130mm
- ▲ Notched 6,8,10,12mm, Tiger notch and Diagonal notch
- ▲ Storage and drain box for 280x115mm blades
- ▲ Professional trowel set and saves storage space

Art.No	Size	Notch Guide
PTSJK15	280x115mm (11"x4-1/2")	6mm(1/4") SQ notch
		8mm(5/16") SQ notch
		10mm(3/8") SQ notch
		12mm(1/2") SQ notch
		10x20mm(3/8"x3/4") Round Notch
		Tiger notch
	480x130mm (19"x5-1/8")	6mm(1/4") SQ notch
		8mm(5/16") SQ notch
		10mm(3/8") SQ notch
		12mm(1/2") SQ notch
		Diagonal notch
		Tiger notch




#### Easy-Attach

Switch between floats and trowels with the convenience of only one handle.




#### Slide-Lock Handle

For secure and adjustable placement along trowels and floats.



#### Blade Lock

Stores trowel and floats securely.



#### Drain System

Leaves your blades and floats dry while in storage.



### Switchable Notched Trowel Set

- ▲ Stainless Steel Blades 280x115mm
- ▲ Switchable blade 6pcs in different notches
- ▲ Switchable TPR handle
- ▲ Durable storage and drain box

Art.No	Size	Notch Guide
PTSJG8	280x115mm (11"x4-1/2")	6mm(1/4") SQ notch
		8mm(5/16") SQ notch
		10mm(3/8") SQ notch
		12mm(1/2") SQ notch
		10x20mm(3/8"x3/4") Round Notch
		Tiger notch

Art.No	Size	Notch Guide
PTSJA8	280x115mm (11"x4-1/2")	3.2mm(1/8") SQ notch
		4.5mm(3/17") SQ notch
		6mm(1/4") SQ notch
		12mm(1/2") SQ notch
		6x12x20mm(1/4"x1/2"x3/4") U Notch
		Tiger notch



### Switchable Handle

- ▲ Suitable for BIHUI Switch System pads and blades etc.
- ▲ Quick lock & release clamp

Art.No: PTSJHD



### Switchable Blade

- ▲ #420 Stainless Steel
- ▲ Different notches available
- ▲ Size: 280x115mm(11"x4-1/2")

Art.No: PTSJ series



### Switchable Blade

- ▲ #420 Stainless Steel
- ▲ Different notches available
- ▲ Size: 480x130mm(19"x5-1/8")

Art.No: PTSJL series



## NOTCHED TROWEL



### Storage Box with Switch Handle

- ▲ Switchable soft handle
- ▲ Quick lock and release clamp
- ▲ Durable storage and drain box
- ▲ Suitable for BIHUI Switch System pads and blades etc.
- ▲ Pick any blades (up to 6) you like to fill the box
- ▲ Switch Handle and Storage Box Included
- ▲ More than 10+ notch sizes available for choosing

Art.No	Size	
PTSJHB	280x115mm	11"x4-1/2"



### Replacement Switchable Blade

- ▲ Stainless steel blade
- ▲ Durable aluminum rail
- ▲ For use with BIHUI switchable soft handle
- ▲ Special notch for flooring job

Art.No	Size	Notch Guide
PTQACT4	290x110mm (11-3/8"x4-3/8")	1.5x1.5x1.5mm (1/16"x1/16"x1/16")
PTQFCA4		1.5x1.5x1.5mm (1/16"x1/16"x1/16")
PTQFFA4		1.5x1x1mm (1/16"x1/32"x1/32")
PTQFFOW4		1.5x3x3mm (1/16"x1/8"x1/8")
PTQRCA4		2.5 x 2.5 x 2.5mm (3/32" x 3/32" x 3/32")
PTQWHA4		1.5x2x1mm (1/16"x5/64"x1/32")

### Notched Trowel

- ▲ Contoured handle improves control and comfort
- ▲ Handle fastened to blade with 6 screwed
- ▲ 0.6mm quality stainless steel
- ▲ Range of notch size to suit any job

Art.No	Size	Notch Guide
PTSS06	280x115mm (11"x4-1/2")	6mm(1/4") SQ notch
PTSS08		8mm(5/16") SQ notch
PTSS10		10mm(3/8") SQ notch
PTSS12		12mm(1/2") SQ notch
PTSSTG		Tiger notch

### Notched Trowel

- ▲ Contoured handle improves control and comfort
- ▲ Handle fastened to blade with 6 welded rivets
- ▲ 0.6mm quality stainless steel blade
- ▲ Range of notch size to suit any job

Art.No	Size	Notch Guide
PTCD06	280x115mm (11"x4-1/2")	6mm(1/4") SQ notch
PTCD08		8mm(5/16") SQ notch
PTCD10		10mm(3/8") SQ notch
PTCD12		12mm(1/2") SQ notch
PTCDTG		Tiger notch

### Jumbo Notched Trowel

- ▲ Heavy duty trowel with 290mm durable rails
- ▲ Metal close handle for perfect balance and extra comfort
- ▲ Handle fastened to blade with 12 welded rivets
- ▲ 0.8mm quality stainless steel blade
- ▲ Range of notch sizes available to suit any job

Art.No	Size	Notch Guide
PTSM08	480x120mm (19"x4-3/4")	8mm(5/16") SQ notch
PTSM10		10mm(3/8") SQ notch
PTSM12		12mm(1/2") SQ notch
PTSM15		15mm(19/32") SQ notch
PTSM20		20mm(3/4") SQ notch
PTSMPL		Plain



### Notched Trowel

- ▲ Contoured handle for improved comfort and control
- ▲ Handle support held to blade with 13 mounted rivets
- ▲ 0.7mm quality stainless steel blade
- ▲ Range of notch size to suit any job

Art.No	Size	Notch Guide
PTSL06	320x120mm (12-1/2"x4-3/4")	6mm(1/4") SQ notch
PTSL08		8mm(5/16") SQ notch
PTSL10		10mm(3/8") SQ notch
PTSL12		12mm(1/2") SQ notch
PTSLTG		Tiger notch



### Notched Trowel

- ▲ Contoured handle improves control and comfort
- ▲ Handle fastened to blade with 8 mounted rivets
- ▲ 0.7mm quality stainless steel blade
- ▲ Range of notch size to suit any job

Art.No	Size	Notch Guide
PTSB03	280x120mm (11"x4-3/4")	3mm(1/8") SQ notch
PTSB04		4mm(5/32") SQ notch
PTSB06		6mm(1/4") SQ notch
PTSB08		8mm(5/16") SQ notch
PTSB10		10mm(3/8") SQ notch
PTSB12		12mm(1/2") SQ notch
PTSB20		Round Notch
PTSBTG		Tiger notch
PTSBPL		Plain



## BRICKLAYING TROWEL



### Plasters Trowel

- ▲ Stainless Steel #420
- ▲ Soft grip handle

Art.No	Size	
BTSHP4	100mm	4"



### Gauging Trowel

- ▲ High strength carbon steel
- ▲ Soft grip handle

Art.No	Size	
BTCHG7	180mm	7"



### Tuck Pointer

- ▲ High strength carbon steel
- ▲ Soft grip handle

Art.No	Size	
BTCHT08	8mm	5/16"
BTCHT10	10mm	3/8"
BTCHT12	12mm	1/2"



### Margin Trowel

- ▲ High strength carbon steel
- ▲ Soft grip handle

Art.No	Size	
BTCHM5	125mm	5"



### Gauging Trowel

- ▲ High strength carbon steel
- ▲ Soft grip handle

Art.No	Size	
BTCHG6	180mm	7"
BTCHG8	200mm	8"



### Bucket Trowel

- ▲ High strength carbon steel
- ▲ Soft grip handle

Art.No	Size	
BTCHB4	120mm	4-3/4"
BTCHB5	140mm	5-1/2"
BTCHB6	160mm	6-3/8"
BTCHB7	180mm	7"



### Tile Remover Scraper

- ▲ Ideal for removing tiles and adhesives
- ▲ 1.2mm thick steel blade
- ▲ Rubber pro grip handle
- ▲ Steel cap for extra strength

Art.No	Size	
TRSC4	100mm	4"



### Professional Taping Knife

- ▲ Stainless steel blade with mirror-polished for easy cleanup
- ▲ Lightweight, ergonomically designed handle for all-day use

Art.No	Size	
PTK22	220mm	8-5/8"
PTK30	300mm	12"
PTK50	500mm	20"
PTK60	600mm	24"
PTKNQ6	600mm	24"



### Bucket Scoop

- ▲ Curved blade design for clean removal of materials
- ▲ Designed to fit most mixing and grouting buckets

Art.No	Size	
PTK165	165mm	6-1/2"



### Putty Scraper

- ▲ One piece design with soft cover
- ▲ #420 Stainless steel
- ▲ Fine polished soft blade

Art.No	Size		Art.No	Size	
PTS1NH	38mm	1-1/2"	PTS6	150mm	6"
PTS2	50mm	2"	PTS8	200mm	8"
PTS3	75mm	3"	PTS10	250mm	10"
PTS4	100mm	4"	PTS10IN1	75mm	3"
PTS5	125mm	5"			



### Switchable Putty Scraper Kit

- ▲ One handle - 5 blades
- ▲ Premium switchable handle for all blades
- ▲ With strong steel hammer end
- ▲ Stainless steel #420
- ▲ Blades in 1.5", 4", 5", 6", 5N1

Art.No	Size
PTKSK6	6pcs kit



### Professional Skimming Scraper Kit

- ▲ Ergonomic PVC handle
- ▲ Flexible 0.5mm stainless steel blade
- ▲ Including wall scrapers in 250mm, 400mm, 600mm, 800mm, 1000mm
- ▲ Telescope handle in 1100mm
- ▲ Spare connection handle
- ▲ Nylon paint roller in 220mm

Art.No	Size
PTKJK8	Universal







## The World's First Switch System for grouting & cleaning tools and trowel blades

**PATENTED**



### Switchable Grouting & Cleaning System

- ▲ 12pcs kit for grouting and cleaning
- ▲ 1 x sponge float pad
- ▲ 1 x EVA grouting pad
- ▲ 1 x flexible rubber pad
- ▲ 1 x green epoxy pad
- ▲ 5 x notched blades
- ▲ 1 x interchangeable handle
- ▲ 1 x interchangeable soft handle
- ▲ 1 x tool box

**NEW**




Art.No	Size
PTSGK12	12pcs



### Switchable Soft Handle

- ▲ Suitable for BIHUI Switch System pads and blades etc.
- ▲ Quick lock & release clamp

Art.No	Size
PTSGSH	220x68mm



### Sponge Float Pad

- ▲ Use with switchable soft handle
- ▲ Hydro sponge with block cut
- ▲ Ideal for all types of cleaning and decorating

Art.No	Size
PTSGSG	280x140x30mm (11"x5-1/2"x1-3/16")

### Cellulose Float Pad

- ▲ Use with switchable soft handle
- ▲ 100% Cellulose
- ▲ Ideal for all types of cleaning and decorating

Art.No	Size
PTSCSP	280x140x30mm (11"x5-1/2"x1-3/16")

### EVA Grout Float Pad

- ▲ Use with switchable soft handle
- ▲ Ideal for all types of cleaning and decorating

Art.No	Size
PTSEVA	280x140x8mm (11"x5-1/2"x5/16")



### Cleaning Pads

- ▲ Use with switchable soft handle
- ▲ Excellent for the removal of grout or adhesive from tile surfaces
- ▲ Including 3 pads in super fine, medium and coarse

Art.No	Size
PTSCNP	250x120mm (10"x4-3/4")

### Grout Float Pad

- ▲ Use with switchable soft handle
- ▲ Aluminium base with high density EVA
- ▲ Rubber pad

Art.No	Size
PTSGRF	240x100mm (9-3/8"x4")

### Epoxy Grout Float Pad

- ▲ Use with switchable soft handle
- ▲ Green hard rubber

Art.No	Size
PTSEPX	248x116mm (10"x4-1/2")