




Smart 19L Trade washy bucket

19L Tile Washing Set

- ▲ Durable bucket with wheels and stands
- ▲ Arc-shaped pouring edge and ergonomic handle
- ▲ Triple rollers for fast water extraction
- ▲ Heavy duty plastic grid, stay still in place
- ▲ Soft grip sponge float with block cut
- ▲ Soft grip EVA float with high density
- ▲ Ideal for cleaning floor and wall tiles & applying grouts

Art.No	Description
TWS19	6pcs kit
TWS19A	4pcs kit
TWS19G	Grid
TWS19R	Roller



PATENTED



Durable Plastic grid



Tri-roller, triple efficiency



Arc-Shaped Edge



Rotary wheels and anti-slip stands



Grout Float

- ▲ Soft grip handle
- ▲ Aluminium base with high density EVA
- ▲ Rubber pad

Art.No	Size
CFERS	240x100mm (9-3/8"x4")



Epoxy Grout Float

- ▲ Green hard rubber

Art.No	Size
CFHRL	248x116mm (10"x4-1/2")



Epoxy Red Float

- ▲ Solid thermoplastic rubber pad in 12mm
- ▲ Durable with TPR handle

Art.No	Size
CFSRS	89x254mm (3.5"x10")



Cleaning Pads

- ▲ Excellent for the removal of grout or adhesive from tile surfaces
- ▲ Including 3 pads in super fine, medium and course

Art.No	Size
CSPK4	250x120mm (10"x4-3/4")
CSPB	250x120x20mm (10"x4-3/4"x3/4")
CSPW	250x120x20mm (10"x4-3/4"x3/4")



EVA Grout Float

- ▲ Soft grip handle

Art.No	Size
CFES11	280x140x8mm (11"x5-1/2"x5/16")



Professional Sponge Float

- ▲ Soft grip handle

Art.No	Size	
CFHSS11	280x140x30mm (11"x5-1/2"x1-3/16")	with cut
CFHSW11	280x140x30mm (11"x5-1/2"x1-3/16")	without cut



Switchable EVA Grout Float Pad

- ▲ Use with switchable soft handle
- ▲ Ideal for all types of cleaning and decorating

Art.No	Size
CFSSSE11	280x140x8mm (11"x5-1/2"x5/16")



Switchable Hydro Sponge Pad

- ▲ Use with switchable soft handle
- ▲ Hydro sponge with block cut
- ▲ Ideal for all types of cleaning and decorating

Art.No	Size
CFSSJ11	340x180x40mm (13-3/8"x7"x1-5/8")
CFSSS11	280x140x30mm (11"x5-1/2"x1-3/16")



Switchable Handle

- ▲ Soft grip handle

Art.No	Size
CFSSHDL	225x90mm (9"x3-1/2")

**Hydro Grouting Sponge**

- ▲ Soft and absorbent
- ▲ Ideal for all types of cleaning and decorating
- ▲ Round polished edges

Art.No	Size
CFHS190	190x140x51mm (7-5/8" x 5-1/2" x 2")

**Hydro Scrubbing Sponge**

- ▲ Dual combination with hydro sponge
- ▲ Round polished edges

Art.No	Size
CFHC180	180x110x65mm (7"x4-4-3/8"x2-1/2")

**Economy Grouting Sponge**

- ▲ Ideal for cleaning tiles after grouting
- ▲ Extremely absorbent
- ▲ High abrasion resistance

Art.No	Size
CFSV25	190x140x50mm (7-5/8" x 5-1/2" x 2")
CFSV100	180x110x50mm (7-5/8" x 5-1/2" x 2")

COMING SOON

Vacuum Packed

**Hydro Grouting Sponge**

- ▲ Ideal for cleaning tiles after grouting

Art.No	Size
CFHS165	165x110x60mm (6-1/2" x4-3/8"x2-3/8")

**Brown Hydro Sponge**

- ▲ Ideal for cleaning tiles after grouting

Art.No	Size
CFHB160	160x100x60mm (6-3/8"x4"x2-3/8")

**Cellulose Sponge**

- ▲ 100% Cellulose
- ▲ Ideal for all types of cleaning and decorating

Art.No	Size
CFCS165	165x110x50mm (6-1/2" x4-3/8"x2")
CFCS180	180x110x50mm (7" x4-3/8"x2")

**Microfiber Sponge**

- ▲ Dual combination with hydro sponge
- ▲ Round polished edges

Art.No	Size
CFHM190	190x120x50mm (7-1/2" x4-3/4"x2")

**Compound Tile Nipper**

- ▲ Triple Power - same effort
- ▲ Comfort grip handle
- ▲ Maximum tile thickness 12mm
- ▲ Ideal for irregular cuts in ceramic and porcelain tile

Art.No	Size
TNC10	250mm 10"

**Straight Tile Nipper**

- ▲ Designed to form narrow strips and shapes from wall or floor tiles
- ▲ Drop forged
- ▲ Carbide tipped-straight jaw
- ▲ Soft grip handle

Art.No	Size
TND8	200mm 8"

**Breaking Tile Nipper**

- ▲ A dual purpose tool for cutting and breaking small wall tiles
- ▲ Carbide wheel, metal construction
- ▲ Comfort grip handle

Art.No	Size
TNB8	200mm 8"

**Multifunction Trim Puller**

- ▲ Plastic handle and stainless steel blade
- ▲ Lighter weight and compact size stop damages to the wall
- ▲ Designed for baseboard, trim molding, chair railing, decorative panel etc.

Art.No	Size
FTP100	270x100x80mm (11"x4"x3-9/64")

**Dust Door "U"**

- ▲ To prevent dust and smell during decoration
- ▲ Suitable for 1M wide door
- ▲ Fast and easy setup
- ▲ Made of clear and strong HDPE plastic

Art.No	Size
TDZD	112x220cm (44-3/32"x86-5/8")





Wall Tile Leveling Lifter

- ▲ Convenient adjustment allows for 1-20cm free height adjustment
- ▲ Quick release level for minor adjust and removal
- ▲ Single loading capacity is 80Kg
- ▲ Ideal for facilitating the laying of large tiles on the wall

Art.No	Size
TAS25	1-20cm



Level Pegs

- ▲ High strength self-adhesive backing
- ▲ Flexible vinyl material
- ▲ 10pcs per stripe
- ▲ Designed to achieve a level and consistent surface when pouring self-leveling and cementitious flooring materials

Art.No	Size
MSLP100	10-100mm



Tiler's Gloves

- ▲ Provides excellent grip and movement when handling tile and stone
- ▲ Wear-resistant, stain-resistant Elastic ventilate, comfortable

Art.No	Size
TGDL	9 / L
TGDXL	10 / XL
TGDXXL	11 / XXL



Anti-vibration Gloves

- ▲ Universal size to fit all
- ▲ Anti-vibration design with thick cushion rubber

Art.No	Size
TGAVXL	250X115mm (10"x4-1/2")



Grout Rake

- ▲ With TPR soft grip handle
- ▲ Use to remove old grout between tiles
- ▲ 2 x tungsten carbide blades

Art.No	Size
TGRS2	200mm 8"



Grout Rake Blades

- ▲ 2 x tungsten carbide blades
- ▲ For use with BIHUI Grout Rake

Art.No	Size
TGRSB2	Spare blades for TGRS2



Automatic Pencil Marker

- ▲ Comes with 1 black lead and 6 spare leads: black, red, white available
- ▲ Writes on most surfaces including metal, timber, plastics, bricks, blocks & glass
- ▲ Integrated lead sharpener built into the cap
- ▲ Belt clip & Interchangeable lead
- ▲ Made from high quality ABS stainless steel materials

Art.No	Size
TCM7	150mm 6"
TCM7-SL	150mm 6"



Tile Markers

- ▲ Black, White and Red
- ▲ For marking on variety of surfaces for cutting and drilling jobs

Art.No	Size
TCM3	180mm 7"



Profile Gauge with Lock

- ▲ Utilizing individually tensioned
- ▲ Low friction plastic blades
- ▲ With blade locking system
- ▲ Magnetic for hands-free working
- ▲ Metric and imperial scale

Art.No	Size
TPL250	250mm 10"



Profile Gauge

- ▲ Quick and easy way to copy awkward shapes
- ▲ Utilizing individually tensioned
- ▲ Low friction plastic blades
- ▲ Ideal for tiling, wallpaper, laying carpet, laminate flooring

Art.No	Size
TPG250	250mm 10"



Rubber Mallet

- ▲ Soft grip

Art.No	Size
RMWO24	24OZ



One Piece Rubber Mallet

- ▲ Comfort grip

Art.No	Size
RMWS24	24OZ



Tile Corner Protector

- ▲ 4pcs per pack
- ▲ Multiple uses
- ▲ Mitigates risk of tile damage

Art.No	Size	
LFTP06	6mm	1/4"
LFTP10	10mm	3/8"
LFTP13	13mm	33/64"



Grout and Sealant Repair Kit

- ▲ Finishing profiles with 3R(1/8R) and 6R(1/4R)
- ▲ Grouting nozzle for cartridge
- ▲ Silicone and sealant removing knives
- ▲ Quick and easy to use and clean

Art.No	Size
STARK3	Universal



Silicone Applicator Kit

- ▲ Has half round cut outs to create a quadrant seal
- ▲ Has straight cut edges to provide a triangular seal
- ▲ Easy to use tool, no need to tape or mask joints

Art.No	Size
STAK2	60x60mm (2-3/8")



Silicone Applicator Kit

- ▲ Finishing profiles in 0R,2R,3R,4R, 5R,6R,8R,10R,12R,14R,20R
- ▲ Easy to use, no need to tape or mask joints
- ▲ Designed to shape silicone sealant for a perfect neat finish

Art.No	Size
STAK4	46x46mm (1-3/4"x1-3/4")



Silicone Applicator Kit

- ▲ Finishing profiles in 3R,4.5R,6R,6.9,12,2C,3C,4C
- ▲ Ergonomic handle design provides better gripper

Art.No	Size
STAK10	Universal



Caulking Gun

- ▲ Single Component Dispenser
- ▲ Mechanical thrust ratio: 26:1 & Stroke: 4mm
- ▲ Maximum force: 400kgf (3.9kN)
- ▲ Aluminum alloy handle & Steel trigger
- ▲ Patented 360° rotary type of steel riveted carriage
- ▲ Patented no trigger gaps design
- ▲ Suitable for cold weather and High viscosity materials

Art.No	Capacity
TCG310	310ml (10.5oz)



Caulking Gun

- ▲ Aluminum alloy die-casting material and metal drum
- ▲ Labor-saving handle design
- ▲ Anti-drip function
- ▲ Thrust 135kg
- ▲ The glue bucket can rotate 360 degrees
- ▲ Suitable for silicone and structural adhesives

Art.No	Capacity
TCG300	310ml (10.5oz)



Caulking Gun

- ▲ Aluminum alloy die-casting material and metal drum
- ▲ Labor-saving handle design
- ▲ Anti-drip function
- ▲ Thrust 135kg
- ▲ The glue bucket can rotate 360 degrees
- ▲ Suitable for silicone and structural adhesives"

Art.No	Capacity
TCG600	600ml (20.28oz)



Tile Repairing Kit

- ▲ With 16 blocks wax in most popular colors
- ▲ Perfect for repairing cracked tile, marble, ceramic walls and floor surfaces
- ▲ 1 x hot melt wax application tool
- ▲ 16 x hard wax sticks of different colors
- ▲ 1 x cleaning scraper
- ▲ 1 x textured scraper
- ▲ 1 x PU high-density sponge
- ▲ 1 x cleaning cloth
- ▲ 1 x Type-C charging cable

Art.No	Size
TRPK	5V - 1200mAh



Leather Knee Pads

- ▲ Soft and broad strap
- ▲ Single velcro front fastening strap
- ▲ Washable & durable
- ▲ Premium Grade Neoprene
- ▲ Heavy duty closed cell foam cushion

Art.No	Size
BLKP	Universal



Gel Knee Pads

- ▲ Foam core for maximum cushioning
- ▲ Gel cover for extra comfort
- ▲ Velcro straps & Pressure clip for added security
- ▲ Ergonomic design
- ▲ With great stability, preventing ligament and tendons fatigue

Art.No	Size
TKPG	Universal



TPR Knee Pads

- ▲ Waterproof and anti-slip engineered cover
- ▲ Made of breathable diving cloth and oxford fabric
- ▲ Durable reinforced stitching & extra foam core
- ▲ Soft gel core and thick cushioned foam core provides superior protection
- ▲ Easy & secure velcro fastening system
- ▲ Protects against nails, screws, glass and debris

Art.No	Size
TKPT	Universal



Gel Knee Pad Max

- ▲ Large coverage contacts to floor
- ▲ Gel pad for maximum cushion
- ▲ Elastic belt and buckle fasten
- ▲ Protects against nails and glass

Art.No	Size
TKPF	Universal

NEW



Uncoupling Mat Roller

- ▲ Max loading: 35kg(77lb)
- ▲ Extension handle to be 1.3-1.82M (51"-71")
- ▲ Used to embed the membrane full bond with mortar.
- ▲ Can be easier disassembled for transport and storage
- ▲ Reduces effort required to embed membrane

Art.No	Size
UMR330	1.3-1.82M (51"-71")

