

Aluminum Box Screed Set

- ▲ Straight edges with BIHUI protection ends
- ▲ Accuracy: $\pm 0.05\text{mm/m}$ (0.0002in/in)
- ▲ Features a heavy duty rectangular construction which provides exceptional straightest, strength and light weight
- ▲ Clear anodized aluminum construction guarantees it will not rust, rot or warp and easy to clean
- ▲ Used for leveling material in concrete paving and landscape work

Art.No	Size
TASES6	450mm(18"), 600mm(24"), 750mm(30"), 900mm(36"), 1350mm(54"), 1800mm(72")





16 Lines Laser Level

- ▲ Lithium-ion battery powered
- ▲ OSRAM green beams
- ▲ 360° self-levelling
- ▲ Equipped with TFT color screen display
- ▲ Accurate reset function and self-levelling automatically
- ▲ Built-in memory function
- ▲ Supports tilting at any angle, patented technology
- ▲ Three levels of brightness adjustable
- ▲ Perfect for auxiliary levelling in multiple occasions
- ▲ Continuous working - 5 hours
- ▲ Full charging - 4 hours



Accessories includes:
USB charging
Lithium-ion Battery
Laser target plate
Green glasses
Lifting platform

Art.No	Data
LLG16	3.7V-5.0Ah



12 Lines Laser Level

- ▲ Auxiliary tiles fixing, wall decoration, floor tiles fixing, stair handrails, furred ceiling, floor tile, plastering etc
- ▲ Lithium-ion battery powered
- ▲ OSRAM green beams
- ▲ 360° self-levelling
- ▲ Adjusting bracket with level spirit
- ▲ Magnetic backing bracket and extra adjuster
- ▲ Green glasses and target plate
- ▲ Perfect for auxiliary levelling in multiple occasions

Accessories includes:
USB charging
Lithium-ion Battery
Laser target plate
Green glasses
Bracket with adjusting and level spirit
Magnetic bracket PV9 & PV6+

Art.No	Data
LLG12	3.7V - 5.2Ah



5 Lines Laser Level

- ▲ Auxiliary tiles fixing, wall decoration, floor tiles fixing, stair handrails, furred ceiling, floor tile, plastering etc
 - ▲ Lithium-ion battery powered
 - ▲ OSRAM green beams
 - ▲ 360° self-levelling
 - ▲ Adjusting bracket with level spirit
 - ▲ Green glasses and target plate
 - ▲ Perfect for auxiliary levelling in multiple occasions
- Accessories includes:**
 USB charging
 Lithium-ion Battery
 Laser target plate
 Green glasses
 Bracket with adjusting and level spirit


Art.No	Data	Data
LLG05	3.7V	5.2Ah



Tripod for Laser Level

- ▲ Foldable tripod with 5/8"-11 connection
- ▲ Extra 5/8"-11 to M14 adaptor
- ▲ Adjustable height up to 1.5M
- ▲ Perfect for BIHUI laser levels

Art.No	Size
LLG-TRP	58-150cm (2-1/4")-(6")



Speed Triangle Square

- ▲ Strong aluminium alloy body
- ▲ Embossed imperial graduations and common rafter conversion table
- ▲ Features a protractor scale 0-90°
- ▲ Use as saw guide for angle measurements and cuts
- ▲ Ideal for all building and remodeling projects

Art.No	Size
TMRT7	180mm 7"



Long Tape Measure

- ▲ Waterproof fiberglass ruler
- ▲ 3 times retracting speed
- ▲ Tape in 15mm width and thickness 0.48mm
- ▲ Level 3 accuracy

Art.No	Size
TMR30M	30M 100"



Wide Blade Tape Measure

- ▲ Wear and impact-resistant with nylon bond
- ▲ Equipped with a powerful magnetic ruler head
- ▲ Automatic brake and one button to retract
- ▲ Comes with back clip

Art.No	Size	Blade info.
TMR5M	65x60x30mm (2-1/2"x2-3/8"x1-3/16")	5M(16") 22mm-1.9M
TMR8M	80x75x35mm (2-1/2"x2-3/8"x1-3/16")	8M(26") 27mm-2.8M



Blue Chalk Powder

- ▲ For use with chalk line reels
- ▲ Designed with handy nozzle cap and squeeze bottles
- ▲ Meets the basic requirement of RoHS and REACH
- ▲ Suitable for both interior and exterior use

Art.No	Size
CTCHALK	8OZ



Chalk Line Reel

- ▲ Quick refilling sliding window
- ▲ Press to release mechanism
- ▲ High strength thread and faster retraction
- ▲ For use with BIHUI Chalk Powder
- ▲ Powder capacity: 100 grams
- ▲ Break strength: 20kg

Art.No	Size
CTCKLNR	30Mx Ø1mm



Chalk Reel Kit

- ▲ Blue Chalk Powder with chalk line reels
- ▲ Meets the basic requirement of RoHS and REACH
- ▲ High strength thread and faster retraction
- ▲ Suitable for both interior and exterior use

Art.No	Size
CTCAK2	30Mx Ø1mm, 8OZ

B-RolleX



0.5mm/m
0.0005in/in.



Tile Spirit Level

- ▲ Accuracy : 0.5mm/m (0.0005in/in)
- ▲ Finely milled surface for higher accuracy
- ▲ Shock proof rubber end caps
- ▲ Comfortable rubber handle
- ▲ Magnified horizontal vial for clearest view of the bubble
- ▲ 3 Solid acrylic shockproof vials to check horizontal, vertical levels

Art.No	Size	
TSL060	60cm	24"
TSL080	80cm	32"
TSL100	100cm	40"
TSL120	120cm	47-1/4"
TSL180	180cm	71"
TSL240	240cm	96"



Horizontal level on the floor



Vertical level on the wall

